CIRCULAR LETTER

No. 313-92-1839c

dated 17.10.2022

Re:

amendments to the Rules for the Classification, Construction and Equipment of Mobile Offshore Drilling Units and Fixed Offshore Platforms, 2022, ND No. 2-020201-019-E

Item(s) of supervision:

ships under construction

Entry-into-force date:

01.12.2022

Cancels / amends / adds Circular Letter No.

dated

Number of pages:

1 + 2

Appendices:

Appendix 1: information on amendments introduced by the Circular Letter

Appendix 2: text of amendments to Part VIII "Systems and Piping"

Director General

Konstantin G. Palnikov

Text of CL:

We hereby inform that the Rules for the Classification, Construction and Equipment of Mobile Offshore Drilling Units and Fixed Offshore Platforms shall be amended as specified in the Appendices to the Circular Letter.

It is necessary to do the following:

- 1. Bring the content of the Circular Letter to the notice of the RS surveyors, interested organizations and persons in the area of the RS Branch Offices' activity.
- 2. Apply the provisions of the Circular Letter during review and approval of the technical documentation on ships contracted for construction of conversion on or after 01.12.2022, in the absence of a contract, during review and approval of the technical documentation on ships requested for review on or after 01.12.2022.

List of the amended and/or introduced paras/chapters/sections:

Part VIII: para 1.4.2

Person in charge: Ekaterina A. Shvedova 313

(812) 312-39-85

"Thesis" System No. 22-219358

Information on amendments introduced by the Circular Letter (for inclusion in the Revision History to the RS Publication)

Nos.	Amended	Information on amendments	Number	Entry-into-force
	paras/chapters/		and date of the	date
	sections		Circular Letter	
1	Part VIII, para 1.4.2	The requirements have	313-92-1839c	01.12.2022
		been introduced to	of 17.10.2022	
		permissible water speed		
		in the pipes of water fire extinguishing systems		

RULES FOR THE CLASSIFICATION, CONSTRUCTION AND EQUIPMENT OF MOBILE OFFSHORE DRILLING UNITS AND FIXED OFFSHORE PLATFORMS, 2022

ND No. 2-020201-019-E

PART VIII. SYSTEMS AND PIPING

1 GENERAL

- 1 **New para 1.4.2** is introduced reading as follows:
- **"1.4.2** In the pipes of water fire extinguishing systems having no other purpose than fire extinguishing (water fire main (not used for other purposes), pressure water-spraying, drenching, water-screen, foam fire extinguishing, sprinkler), permissible water speed is up to 6 m/s."